

Human Rites

CHANNEL HOOKUP

Directed by Emsa Lakovic
Virginia Tech Theatre Arts

LAST TOUCHED: 4/11/03 3:00 PM, CLB

Lighting by: Cathy L. Bowren (540.449.6939)

Head Elec: E. Lee Dickinson

Channel	Dim	Position	U#	Type & Wattage	Purpose	Clr/Tmp
(1)	62	B SOUTH	15	6X12 Altman 360Q 575w	A1 PATT	R54, T: A2476
(2)	61	B SOUTH	16	6X12 Altman 360Q 575w	A2 PATT	R54, T: A2476
(3)	60	B SOUTH	17	6X12 Altman 360Q 575w	A3 PATT	R54, T: A2476
(4)	97	C SOUTH	5	6X12 Altman 360Q 575w	A4 PATT	R54, T: A2476
(5)	59	B SOUTH	18	6X12 Altman 360Q 575w	A5 PATT	R54, T: A2476
(6)	58	B SOUTH	19	6X12 Altman 360Q 575w	A6 PATT	R54, T: A2476
(7)	56	B SOUTH	20	6X12 Altman 360Q 575w	A7 PATT	R54, T: A2476
(8)	128	D SOUTH	8	6X12 Altman 360Q 575w	A8 PATT	R54, T: A2247
(9)	124	D SOUTH	12	6X12 Altman 360Q 575w	A9 PATT	R54, T: A2476
(10)	55	B SOUTH	21	6X12 Altman 360Q 575w	A10 PATT	R54, T: A2476
(11)	123	D SOUTH	13	6X12 Altman 360Q 575w	A11 PATT	R54, T: A2476
(12)	122	D SOUTH	15	6X12 Altman 360Q 575w	A12 PATT	R54, T: A2247
(14)	180	E EAST	3	6X12 Altman 360Q 575w	A14 PATT	R54, T: A2247
(15)	172	E SOUTH	2	6X12 Altman 360Q 575w	A15 PATT	R54, T: A2247
(16)	170	E SOUTH LO	5	6X12 Altman 360Q 575w	A16 PATT	R54, T: A2247
(17)	165	E SOUTH LO	8	6X12 Altman 360Q 575w	A17 PATT	R54, T: A2247
(18)	161	E SOUTH	4	6X12 Altman 360Q 575w	A18 PATT	R54, T: A2247
(21)	81	B SOUTH	6	6X16 Altman 360Q 575w	A1 SIDE	R60
(22)	80	B SOUTH	7	6X16 Altman 360Q 575w	A2 SIDE	R60
(23)	79	B SOUTH	8	6X16 Altman 360Q 575w	A3 SIDE	R60
(24)	85	B SOUTH	3	6X16 Altman 360Q 575w	A4 SIDE	R60
(25)	84	B SOUTH	4	6X16 Altman 360Q 575w	A5 SIDE	R60
(26)	82	B SOUTH	5	6X16 Altman 360Q 575w	A6 SIDE	R60
(27)	99	C SOUTH	3	6X16 Altman 360Q 575w	A7 SIDE	R60
(28)	131	D SOUTH	6	6X16 Altman 360Q 575w	A8 SIDE	R60
(29)	133	D SOUTH	4	6X16 Altman 360Q 575w	A9 SIDE	R60

Channel	Dim	Position	U#	Type & Wattage	Purpose	Clr/Tmp
(30)	87	B SOUTH	2	6X16 Altman 360Q 575w	A10 SIDE	R60
(31)	130	D SOUTH	7	6X16 Altman 360Q 575w	A11 SIDE	R60
(32)	125	D SOUTH	11	6X16 Altman 360Q 575w	A12 SIDE	R60
(33)	179	E EAST	2	6X16 Altman 360Q 575w	A13 SIDE	R60
(34)	177	E EAST	1	6X16 Altman 360Q 575w	A14 SIDE	R60
(35)	174	E SOUTH	1	6X16 Altman 360Q 575w	A15 SIDE	R60
(36)	171	E SOUTH LO	4	6X16 Altman 360Q 575w	A16 SIDE	R60
(37)	166	E SOUTH LO	7	6X16 Altman 360Q 575w	A17 SIDE	R60
(38)	162	E SOUTH	3	6X16 Altman 360Q 575w	A18 SIDE	R60
(41)	114	D SOUTH	14	Arri 2K Fresnel 2kw	DSC -- DOWNLIGHT	N/C
(42)	143	D NORTH	3	Arri 2K Fresnel 2kw	DOWNLIGHT	N/C
(43)	148	D NORTH	5	Arri 2K Fresnel w/ BARNDOORS 2kw	DOWNLIGHT	N/C
(44)	168	E NORTH	4	Arri 2K Fresnel w/ BARNDOORS 2kw	DOWNLIGHT	N/C
(45)	194	E NORTH	11	Arri 2K Fresnel w/ BARNDOORS 2kw	DOWNLIGHT	N/C
(51)	110	C NORTH	1	6 in Altman 1KAF Fresnel w/ BARNDOORS 1kw	DSC -- BLUELIGHT	R68
(52)	142	D NORTH	2	6 in Altman 1KAF Fresnel 1kw	BLUELIGHT	R68
(53)	149	D NORTH	6	6 in Altman 1KAF Fresnel 1kw	BLUELIGHT	R68
(54)	187	E NORTH	5	6 in Altman 1KAF Fresnel w/ BARNDOORS 1kw	FABRIC BLUE	R68, R119
	"	"	6	"	"	"
(55)	190	E NORTH	7	6 in Altman 1KAF Fresnel w/ BARNDOORS 1kw	FABRIC BLUE	R68, R119
	"	"	8	"	"	"
(56)	191	E NORTH	9	6 in Altman 1KAF Fresnel w/ BARNDOORS 1kw	FABRIC BLUE	R68, R119
	"	"	10	"	"	"
(61)	65	B SOUTH	14	6X16 Altman 360Q 1kw	DSC COLOR	R50
(62)	77	B SOUTH	9	6X16 Altman 360Q 1kw	DSC COLOR	R50
(63)	76	B SOUTH	10	6X16 Altman 360Q 1kw	DSC COLOR	L020
(64)	66	B SOUTH	13	6X16 Altman 360Q 1kw	DSC COLOR	G810
(65)	46	A SOUTH	1	6X9 Altman 360Q 575w	AISLE 1A	R50
(66)	88	B SOUTH	1	6X9 Altman 360Q 575w	AISLE 1B	R50
(67)	4	A SOUTH	10	6X9 Altman 360Q 575w	AISLE 4A	R50
(68)	53	B SOUTH	23	6X9 Altman 360Q 575w	AISLE 4B	R50
(71)	158	E SOUTH LO	12	6X16 Altman 360Q 575w	CSL GAL HS	R50

Channel	Dim	Position	U#	Type & Wattage	Purpose	Clr/Tmp
(72)	176	E SOUTH LO	1	6X16 Altman 360Q 575w	CSR GAL HS	R50
(73)	160	E SOUTH LO	10	6X16 Altman 360Q 575w	FSL GAL HS	R50
(74)	173	E SOUTH LO	3	6X16 Altman 360Q 575w	FSR GAL HS	R50
(75)	159	E SOUTH LO	11	6X16 Altman 360Q 575w	SL GAL HS	R50
(76)	175	E SOUTH LO	2	6X16 Altman 360Q 575w	SR GAL HS	R50
(81)	137	BAY F	1	6X12 Altman 360Q 575w	FSL GAL	R50
(82)	188	BAY F	2	6X12 Altman 360Q 575w	CSL GALL	R50
(83)	189	BAY F	3	6X12 Altman 360Q 575w	SL DOOR	R50
(84)	193	BAY F	4	6X12 Altman 360Q 575w	SR DOOR	R50
(85)	154	BAY F	5	6X12 Altman 360Q 575w	SR GAL	R50
(86)	117	BAY F	6	6X12 Altman 360Q 575w	FSR GAL	R50
(91)	214	HR BALC RAIL	10	20 deg Altman 1KL 575w	LADDER	G810, T: R9073
(92)	219	HR BALC RAIL	7	20 deg Altman 1KL 575w	SR SIDE GALLERY	G810, T: R9073
(93)	222	HR BALC RAIL	4	20 deg Altman 1KL 575w	CSR GALL	G810, T: R9073
(94)	224	HR BALC RAIL	3	20 deg Altman 1KL 575w	SR CRNR	G810, T: R9073
(95)	225	HR BALC RAIL	1	20 deg Altman 1KL 575w	CTR GALL.	G810, T: R9073
(96)	201	HL BALC RAIL	10	20 deg Altman 1KL 575w	CTR GALL.	G810, T: R9073
(97)	206	HL BALC RAIL	8	20 deg Altman 1KL 575w	CSL GALL	G810, T: R9073
(98)	208	HL BALC RAIL	5	20 deg Altman 1KL 575w	SL GAL CRNR	G810, T: R9073
(99)	211	HL BALC RAIL	2	20 deg Altman 1KL 575w	SL SIDE GALLERY	G810, T: R9073
(100)	212	HL BALC RAIL	1	20 deg Altman 1KL 575w	SL CRNR	G810, T: R9073
(101)	278	GALLERY SL	A1	Altman Mini Strip (3 ckt) 750w	GALLERY SIDE	L020
(102)	275	GALLERY SR	A1	Altman Mini Strip (3 ckt) 750w	GALLERY SIDE	L020
(103)	277	GALLERY SL	A2	Altman Mini Strip (3 ckt) 750w	GALLERY SIDE	G815
(104)	274	GALLERY SR	A2	Altman Mini Strip (3 ckt) 750w	GALLERY SIDE	R50
(105)	276	GALLERY SL	A3	Altman Mini Strip (3 ckt) 750w	GALLERY SIDE	L189
(106)	273	GALLERY SR	A3	Altman Mini Strip (3 ckt) 750w	GALLERY SIDE	L189
(107)	215	HR BALC RAIL	9	6X16 Altman 360Q 575w	DEATH GALLERY	R50
(108)	210	HL BALC RAIL	3	6X16 Altman 360Q 575w	DEATH GALLERY	R50

Channel	Dim	Position	U#	Type & Wattage	Purpose	Clr/Tmp
(109)	116	D SOUTH	17	6X16 Altman 360Q 575w	DEATH PLAT	R50, T: R9073
(110)	24	A SOUTH	7	6X22 Altman 360Q W/ IRIS 1kw	PAT SPECIAL	G810, T: R7217
(111)	25	A SOUTH	6	6X22 Altman 360Q W/ IRIS 1kw	PAT SIT	G810, T: R7217
(112)	252	PROSCENIUM WALL	1	6 in Altman 1KAF Fresnel w/o lens 1kw	DEATH SHADOW (HR)	N/C
(113)	251	PROSCENIUM WALL	2	6 in Altman 1KAF Fresnel w/o lens 1kw	DEATH SHADOW (HL)	N/C
(121)	34	A SOUTH	3	6X22 Altman 360Q w/ Tophat 1kw	DEREK	G108
(122)	16	A SOUTH	9	6X22 Altman 360Q w/ Tophat 1kw	DEREK	G108
(123)	102	B NORTH	1	6X22 Altman 360Q w/ Tophat 1kw	DEREK	G108
(124)	112	C NORTH	3	6X22 Altman 360Q w/ Tophat 1kw	DEREK	G108
(125)	147	D NORTH	4	6X16 Altman 360Q w/ Tophat 1kw	DEREK	G108
(126)	111	C NORTH	2	6X16 Altman 360Q w/ Tophat 1kw	MARK PATH BACK	G108
(127)	127	D SOUTH	9	6X16 Altman 360Q 1kw	MARK PATH	G108
(128)	71	B SOUTH LO	1	6X16 Altman 360Q w/ DONUT 1kw	MARK PATH	R119
	73	"	2	6X12 Altman 360Q w/ DONUT 1kw	"	"
(129)	98	C SOUTH	4	6X12 Altman 360Q w/ DONUT 1kw	MARK PATH FRONT	G108
(130)	126	D SOUTH	10	6X16 Altman 360Q w/ DONUT 1kw	MARK PATH FRONT	G108
(131)	167	E SOUTH LO	6	6X16 Altman 360Q w/ DONUT 1kw	MARK PATH	G108
(132)	119	D SOUTH LO	1	6X12 Altman 360Q w/ DONUT 1kw	SR LIFE PATH	N/C
(133)	120	D SOUTH	18	6X12 Altman 360Q w/ DONUT 1kw	SR LIFE PATH	N/C
(134)	92	C SOUTH	8	6X12 Altman 360Q 1kw	SR LIFE PATH (DSC)	N/C
(135)	134	D SOUTH	2	6X12 Altman 360Q w/ DONUT 1kw	SL LIFE PATH	N/C
(136)	105	C SOUTH	1	6X12 Altman 360Q w/ DONUT 1kw	SL LIFE PATH	N/C
(137)	209	HL BALC RAIL	4	6X16 Altman 360Q w/ DONUT 1kw	PATH OF LIFE	N/C
(138)	216	HR BALC RAIL	8	6X16 Altman 360Q w/ DONUT 1kw	PATH OF LIFE	N/C
(141)	94	C SOUTH	7	6X12 Altman 360Q 1kw	LS SENECA	N/C
(142)	135	D SOUTH	1	6X16 Altman 360Q 1kw	LS SL	N/C
(143)	54	B SOUTH	22	6X16 Altman 360Q 1kw	LS SR	N/C
(144)	163	E SOUTH LO	9	6X12 Altman 360Q w/ DONUT 1kw	LS AMY	N/C
(145)	132	D SOUTH	5	6X12 Altman 360Q 1kw	HOUSE SR	N/C
(146)	121	D SOUTH	16	6X12 Altman 360Q 1kw	HOUSE SL	N/C

Channel	Dim	Position	U#	Type & Wattage	Purpose	Clr/Tmp
(147)	195	E NORTH	12	6X22 Altman 360Q w/ Donut, Tophat 1kw	HOLE	N/C
(148)	32	A SOUTH LO	1	6X22 Altman 360Q W/ IRIS 1kw	SENECA SPEECH	R21
(149)	18	A SOUTH LO	2	6X22 Altman 360Q 1kw	SENECA SPEECH	L020, T: A2494
(150)	207	HL BALC RAIL	6	6X12 Altman 360Q 575w	PRESHOW DS	L020
(151)	205	HL BALC RAIL	7	6X12 Altman 360Q 575w	PRESHOW DS	L020
(152)	204	HL BALC RAIL	9	6X12 Altman 360Q 575w	-SPARE-	TBD
(153)	221	HR BALC RAIL	5	20 deg Altman 1KL 575w	PRESHOW US	R21, T: R9073
(154)	220	HR BALC RAIL	6	20 deg Altman 1KL 575w	PRESHOW US	R21, T: R9073
(155)	223	HR BALC RAIL	2	6X12 Altman 360Q 575w	HOLE (PRESHOW)	R21, T: R9073
(159)	181	E NORTH	1	Par 64 NSP 1kw	SHIL SL	L120HT
(160)	182	E NORTH	2	Par 64 NSP 1kw	SHIL CS	L120HT
(161)	183	E NORTH	3	Par 64 NSP 1kw	SHIL SR	L120HT
(162)	185	E NORTH LO	1	Par 64 NSP 1kw	SHIL SL	N/C
(163)	184	E NORTH LO	3	Par 64 NSP 1kw	SHIL SR	N/C
(164)	186	E NORTH LO	2	Par 64 NSP 1kw	SHIL CS	N/C
(165)	197	E NORTH LO	4	Par 64 NSP 1kw	SHIL	N/C
(166)	199	E NORTH	13	Par 64 NSP 1kw	SHIL	R26
(167)	156	E NORTH LO	5	Par 64 NSP 1kw	SHIL	N/C
(168)	196	E NORTH	14	Par 64 NSP 1kw	SHIL	R26
(169)	198	E NORTH	15	Par 64 NSP 1kw	SHIL	R26
(170)	155	E NORTH LO	6	Par 64 NSP w/ BARNDOORS 1kw	SHIL	N/C
(171)	72	B SOUTH	11	6X16 Altman 360Q 575w	HALL	R60
(172)	70	B SOUTH	12	6X16 Altman 360Q 575w	HALL	R54
(173)	266	BACK HALLWAY SL	3	6X9 Altman 360Q w/ TOPHAT 575w	HALL COLOR	G810
(174)	268	BACK HALLWAY SL	4	6X9 Altman 360Q w/ TOPHAT 575w	HALL COLOR	L189
(175)	265	BACK HALLWAY SL	5	6X9 Altman 360Q w/ TOPHAT 575w	HALL COLOR	R60
(176)	260	BACK HALLWAY SR	3	6X9 Altman 360Q w/ TOPHAT 575w	HALL COLOR	G810
(177)	262	BACK HALLWAY SR	4	6X9 Altman 360Q w/ TOPHAT 575w	HALL COLOR	L189
(178)	261	BACK HALLWAY SR	5	6X9 Altman 360Q w/ TOPHAT 575w	HALL COLOR	R60

Channel	Dim	Position	U#	Type & Wattage	Purpose	Clr/Tmp
(179)	264	BACK HALLWAY SL	2	Arri 2K Fresnel w/ BARNDOORS 2kw	HALL	N/C
(180)	263	BACK HALLWAY SR	2	Arri 2K Fresnel w/ BARNDOORS 2kw	HALL	N/C
(181)	270	BACK HALLWAY CENTER	A1	MR-16 STRIP 750w	PLEXI UPLIGHT SL	N/C
(182)	271	BACK HALLWAY CENTER	A2	MR-16 STRIP 750w	PLEXI UPLIGHT SL	N/C
(183)	256	BACK HALLWAY CENTER	B1	MR-16 STRIP 750w	PLEXI UPLIGHT SR	N/C
(184)	257	BACK HALLWAY CENTER	B2	MR-16 STRIP 750w	PLEXI UPLIGHT SR	N/C
(191)	233	SHOP	1	6 in Altman 1KAF Fresnel w/o lens 1kw	SPANDEX AMBER	L158
(192)	232	SHOP	3	6 in Altman 1KAF Fresnel w/o lens 1kw	SPANDEX BLUE	R79
(194)	234	SHOP	4	6 in Altman 1KAF Fresnel w/o lens 1kw	SPANDEX RED	G250
(195)	235	SHOP	2	Desisti Fresnel 1200w	SPANDEX WHITE	N/C
(201)	40	A SOUTH	2	6X16 Altman 360Q 575w	CHURCH WINDOW	N/C, T: G583
(203)	101	C SOUTH	2	6X16 Altman 360Q 575w	-SPARE-	R60
(204)	95	C SOUTH	6	6X12 Altman 360Q 575w	-SPARE-	R54
(205)	138	D NORTH	1	6X16 Altman 360Q	-SPARE-	TBD
(206)	153	D NORTH	7	6X16 Altman 360Q	-SPARE-	TBD
(207)	267	BACK HALLWAY SL	1	Par 64 MFL w/ BARNDOORS 1kw	SPANDEX FRONT	N/C
(208)	259	BACK HALLWAY SR	1	Par 64 MFL w/ BARNDOORS 1kw	SPANDEX FRONT	N/C
(209)	106	D SOUTH	3	6X16 Altman 360Q 575w	DEATH PLAT	R50, T: R9073
(210)	26	A SOUTH	5	6X12 Altman 360Q w/ DONUT 1kw	DEREK STRIPE	G810
(211)	217	A SOUTH TAILDOWN	1	6X12 Altman 360Q 500w	DEREK STRIPE	G810
(212)	33	A SOUTH	4	6X12 Altman 360Q 1kw	SL LIFE PATH	R119
(213)	17	A SOUTH	8	6X12 Altman 360Q 1kw	SL LIFE PATH	R119

Directed by Emsa Lakovic
 Virginia Tech Theatre Arts
 Lighting by: Cathy L. Bowren (540.449.6939)

LAST TOUCHED: 4/11/03 3:00 PM, CLB
 -FINAL-
 Head Elec: E. Lee Dickinson

Key to Marks:

C NEEDS UPDATING IN CAD
 F FOCUSED

A SOUTH

Dimmer Check Q.1

U#	Instrument Type	Watts	Purpose	Clr/Tmp	Chn	Dim	Mk	Sub	Lamp
1	6X9 Altman 360Q	575w	AISLE 1A	R50	(65)	46	CF		FLK
2	6X16 Altman 360Q	575w	CHURCH WINDOW	N/C, T:G583	(201)	40	F		FLK
3	6X22 Altman 360Q w/ Tophat	1kw	DEREK	G108	(121)	34	F		FEL
4	6X12 Altman 360Q	1kw	SL LIFE PATH	R119	(212)	33	CF		FEL
5	6X12 Altman 360Q w/ DONUT	1kw	DEREK STRIPE	G810	(210)	26	CF		FEL
6	6X22 Altman 360Q W/ IRIS	1kw	PAT SIT	G810, T: R7217	(111)	25	CF		FEL
7	6X22 Altman 360Q W/ IRIS	1kw	PAT SPECIAL	G810, T: R7217	(110)	24	CF		FEL
8	6X12 Altman 360Q	1kw	SL LIFE PATH	R119	(213)	17	CF		FEL
9	6X22 Altman 360Q w/ Tophat	1kw	DEREK	G108	(122)	16	F		FEL
10	6X9 Altman 360Q	575w	AISLE 4A	R50	(67)	4	CF		FLK

A SOUTH LO

Dimmer Check Q.1

U#	Instrument Type	Watts	Purpose	Clr/Tmp	Chn	Dim	Mk	Sub	Lamp
1	6X22 Altman 360Q W/ IRIS	1kw	SENECA SPEECH	R21	(148)	32	F		FEL
2	6X22 Altman 360Q	1kw	SENECA SPEECH	L020, T: A2494	(149)	18	F		FEL

A SOUTH TAILDOWN

Dimmer Check Q.6

U#	Instrument Type	Watts	Purpose	Clr/Tmp	Chn	Dim	Mk	Sub	Lamp
1	6X12 Altman 360Q	500w	DEREK STRIPE	G810	(211)	217	F		

B SOUTH

									Dimmer Check Q.2
U#	Instrument Type	Watts	Purpose	Clr/Tmp	Chn	Dim	Mk Sub	Lamp	
1	6X9 Altman 360Q	575w	AISLE 1B	R50	(66)	88	CF	FLK	
2	6X16 Altman 360Q	575w	A10 SIDE	R60	(30)	87	CF	FLK	
3	6X16 Altman 360Q	575w	A4 SIDE	R60	(24)	85	CF	FLK	
4	6X16 Altman 360Q	575w	A5 SIDE	R60	(25)	84	CF	FLK	
5	6X16 Altman 360Q	575w	A6 SIDE	R60	(26)	82	CF	FLK	
6	6X16 Altman 360Q	575w	A1 SIDE	R60	(21)	81	CF	FLK	
7	6X16 Altman 360Q	575w	A2 SIDE	R60	(22)	80	CF	FLK	
8	6X16 Altman 360Q	575w	A3 SIDE	R60	(23)	79	CF	FLK	
9	6X16 Altman 360Q	1kw	DSC COLOR	R50	(62)	77	F	FEL	
10	6X16 Altman 360Q	1kw	DSC COLOR	L020	(63)	76	F	FEL	
11	6X16 Altman 360Q	575w	HALL	R60	(171)	72	F	FLK	
12	6X16 Altman 360Q	575w	HALL	R54	(172)	70	F	FLK	
13	6X16 Altman 360Q	1kw	DSC COLOR	G810	(64)	66	CF	FEL	
14	6X16 Altman 360Q	1kw	DSC COLOR	R50	(61)	65	CF	FEL	
15	6X12 Altman 360Q	575w	A1 PATT	R54, T: A2476	(1)	62	CF	FLK	
16	6X12 Altman 360Q	575w	A2 PATT	R54, T: A2476	(2)	61	CF	FLK	
17	6X12 Altman 360Q	575w	A3 PATT	R54, T: A2476	(3)	60	CF	FLK	
18	6X12 Altman 360Q	575w	A5 PATT	R54, T: A2476	(5)	59	CF	FLK	
19	6X12 Altman 360Q	575w	A6 PATT	R54, T: A2476	(6)	58	F	FLK	
20	6X12 Altman 360Q	575w	A7 PATT	R54, T: A2476	(7)	56	CF	FLK	
21	6X12 Altman 360Q	575w	A10 PATT	R54, T: A2476	(10)	55	CF	FLK	
22	6X16 Altman 360Q	1kw	LS SR	N/C	(143)	54	CF 2	FEL	
23	6X9 Altman 360Q	575w	AISLE 4B	R50	(68)	53	CF	FLK	

B SOUTH LO

									Dimmer Check Q.2
U#	Instrument Type	Watts	Purpose	Clr/Tmp	Chn	Dim	Mk Sub	Lamp	
1	6X16 Altman 360Q w/ DONUT	1kw	MARK PATH	R119	(128)	71	CF	FEL	
2	6X12 Altman 360Q w/ DONUT	1kw	MARK PATH	R119	(128)	73	CF	FEL	

B NORTH

									Dimmer Check Q.2
U#	Instrument Type	Watts	Purpose	Clr/Tmp	Chn	Dim	Mk Sub	Lamp	
1	6X22 Altman 360Q w/ Tophat	1kw	DEREK	G108	(123)	102	F	FEL	

C SOUTH

Dimmer Check Q.3

U#	Instrument Type	Watts	Purpose	Clr/Tmp	Chn	Dim	Mk	Sub	Lamp
1	6X12 Altman 360Q w/ DONUT	1kw	SL LIFE PATH	N/C	(136)	105	CF	1	FEL
2	6X16 Altman 360Q	575w	-SPARE-	R60	(203)	101	CF		FLK
3	6X16 Altman 360Q	575w	A7 SIDE	R60	(27)	99	CF		FLK
4	6X12 Altman 360Q w/ DONUT	1kw	MARK PATH FRONT	G108	(129)	98	F	4	FEL
5	6X12 Altman 360Q	575w	A4 PATT	R54, T: A2476	(4)	97	CF		FLK
6	6X12 Altman 360Q	575w	-SPARE-	R54	(204)	95	CF		FLK
7	6X12 Altman 360Q	1kw	LS SENECA	N/C	(141)	94	CF	2	FEL
8	6X12 Altman 360Q	1kw	SR LIFE PATH (DSC)	N/C	(134)	92	CF	1	FEL

C NORTH

Dimmer Check Q.3

U#	Instrument Type	Watts	Purpose	Clr/Tmp	Chn	Dim	Mk	Sub	Lamp
1	6 in Altman 1KAF Fresnel w/ BARNDORS	1kw	DSC -- BLUELIGHT	R68	(51)	110	CF		EGT
2	6X16 Altman 360Q w/ Tophat	1kw	MARK PATH BACK	G108	(126)	111	F	4	FEL
3	6X22 Altman 360Q w/ Tophat	1kw	DEREK	G108	(124)	112	F		FEL

D SOUTH

Dimmer Check Q.4

U#	Instrument Type	Watts	Purpose	Clr/Tmp	Chn	Dim	Mk	Sub	Lamp
1	6X16 Altman 360Q	1kw	LS SL	N/C	(142)	135	CF	2	FEL
2	6X12 Altman 360Q w/ DONUT	1kw	SL LIFE PATH	N/C	(135)	134	CF	1	FEL
3	6X16 Altman 360Q	575w	DEATH PLAT	R50, T: R9073	(209)	106	F		FLK
4	6X16 Altman 360Q	575w	A9 SIDE	R60	(29)	133	CF		FLK
5	6X12 Altman 360Q	1kw	HOUSE SR	N/C	(145)	132	CF	3	FEL
6	6X16 Altman 360Q	575w	A8 SIDE	R60	(28)	131	CF		FLK
7	6X16 Altman 360Q	575w	A11 SIDE	R60	(31)	130	CF		FLK
8	6X12 Altman 360Q	575w	A8 PATT	R54, T: A2247	(8)	128	CF		FLK
9	6X16 Altman 360Q	1kw	MARK PATH	G108	(127)	127	CF		FEL
10	6X16 Altman 360Q w/ DONUT	1kw	MARK PATH FRONT	G108	(130)	126	F	4	FEL
11	6X16 Altman 360Q	575w	A12 SIDE	R60	(32)	125	CF		FLK
12	6X12 Altman 360Q	575w	A9 PATT	R54, T: A2476	(9)	124	CF		FLK
13	6X12 Altman 360Q	575w	A11 PATT	R54, T: A2476	(11)	123	CF		FLK
14	Arri 2K Fresnel	2kw	DSC -- DOWNLIGHT	N/C	(41)	114	CF		CYX
15	6X12 Altman 360Q	575w	A12 PATT	R54, T: A2247	(12)	122	CF		FLK
16	6X12 Altman 360Q	1kw	HOUSE SL	N/C	(146)	121	CF	3	FEL
17	6X16 Altman 360Q	575w	DEATH PLAT	R50, T: R9073	(109)	116	F		FLK
18	6X12 Altman 360Q w/ DONUT	1kw	SR LIFE PATH	N/C	(133)	120	CF	1	FEL

D SOUTH LO

Dimmer Check Q.4

U#	Instrument Type	Watts	Purpose	Clr/Tmp	Chn	Dim	Mk	Sub	Lamp
1	6X12 Altman 360Q w/ DONUT	1kw	SR LIFE PATH	N/C	(132)	119	CF	1	FEL

D NORTH

Dimmer Check Q.4

U#	Instrument Type	Watts	Purpose	Clr/Tmp	Chn	Dim	Mk	Sub	Lamp
1	6X16 Altman 360Q		-SPARE-	TBD	(205)	138	CF		TBD
2	6 in Altman 1KAF Fresnel	1kw	BLUELIGHT	R68	(52)	142	CF		EGT
3	Arri 2K Fresnel	2kw	DOWNLIGHT	N/C	(42)	143	CF		CYX
4	6X16 Altman 360Q w/ Tophat	1kw	DEREK	G108	(125)	147	CF		FEL
5	Arri 2K Fresnel w/ BARNDOORS	2kw	DOWNLIGHT	N/C	(43)	148	CF		CYX
6	6 in Altman 1KAF Fresnel	1kw	BLUELIGHT	R68	(53)	149	CF		EGT
7	6X16 Altman 360Q		-SPARE-	TBD	(206)	153	CF		TBD

E SOUTH

Dimmer Check Q.5

U#	Instrument Type	Watts	Purpose	Clr/Tmp	Chn	Dim	Mk	Sub	Lamp
1	6X16 Altman 360Q	575w	A15 SIDE	R60	(35)	174	CF		FLK
2	6X12 Altman 360Q	575w	A15 PATT	R54, T: A2247	(15)	172	F		FLK
3	6X16 Altman 360Q	575w	A18 SIDE	R60	(38)	162	CF		FLK
4	6X12 Altman 360Q	575w	A18 PATT	R54, T: A2247	(18)	161	CF		FLK

E SOUTH LO

Dimmer Check Q.5

U#	Instrument Type	Watts	Purpose	Clr/Tmp	Chn	Dim	Mk	Sub	Lamp
1	6X16 Altman 360Q	575w	CSR GAL HS	R50	(72)	176	F		FLK
2	6X16 Altman 360Q	575w	SR GAL HS	R50	(76)	175	F		FLK
3	6X16 Altman 360Q	575w	FSR GAL HS	R50	(74)	173	F		FLK
4	6X16 Altman 360Q	575w	A16 SIDE	R60	(36)	171	F		FLK
5	6X12 Altman 360Q	575w	A16 PATT	R54, T: A2247	(16)	170	F		FLK
6	6X16 Altman 360Q w/ DONUT	1kw	MARK PATH	G108	(131)	167	CF		FEL
7	6X16 Altman 360Q	575w	A17 SIDE	R60	(37)	166	F		FLK
8	6X12 Altman 360Q	575w	A17 PATT	R54, T: A2247	(17)	165	F		FLK
9	6X12 Altman 360Q w/ DONUT	1kw	LS AMY	N/C	(144)	163	F	2	FEL
10	6X16 Altman 360Q	575w	FSL GAL HS	R50	(73)	160	F		FLK
11	6X16 Altman 360Q	575w	SL GAL HS	R50	(75)	159	F		FLK
12	6X16 Altman 360Q	575w	CSL GAL HS	R50	(71)	158	F		FLK

E NORTH LO

Dimmer Check Q.5

U#	Instrument Type	Watts	Purpose	Clr/Tmp	Chn	Dim	Mk	Sub	Lamp
1	Par 64 NSP	1kw	SHIL SL	N/C	(162)	185	F		NSP
2	Par 64 NSP	1kw	SHIL CS	N/C	(164)	186	F		NSP
3	Par 64 NSP	1kw	SHIL SR	N/C	(163)	184	F		NSP
4	Par 64 NSP	1kw	SHIL	N/C	(165)	197	F		NSP
5	Par 64 NSP	1kw	SHIL	N/C	(167)	156	F		NSP
6	Par 64 NSP w/ BARNDOORS	1kw	SHIL	N/C	(170)	155	F		NSP

E NORTH

									Dimmer Check Q.5
U#	Instrument Type	Watts	Purpose	Clr/Tmp	Chn	Dim	Mk Sub	Lamp	
1	Par 64 NSP	1kw	SHIL SL	L120HT	(159)	181	F	NSP	
2	Par 64 NSP	1kw	SHIL CS	L120HT	(160)	182	F	NSP	
3	Par 64 NSP	1kw	SHIL SR	L120HT	(161)	183	F	NSP	
4	Arri 2K Fresnel w/ BARNDOORS	2kw	DOWNLIGHT	N/C	(44)	168	F	CYX	
5	6 in Altman 1KAF Fresnel w/ BARNDOORS	1kw	FABRIC BLUE	R68, R119	(54)	187	F	EGT	
6	6 in Altman 1KAF Fresnel w/ BARNDOORS	1kw	FABRIC BLUE	R68, R119	(54)	187	F	EGT	
7	6 in Altman 1KAF Fresnel w/ BARNDOORS	1kw	FABRIC BLUE	R68, R119	(55)	190	F	EGT	
8	6 in Altman 1KAF Fresnel w/ BARNDOORS	1kw	FABRIC BLUE	R68, R119	(55)	190	F	EGT	
9	6 in Altman 1KAF Fresnel w/ BARNDOORS	1kw	FABRIC BLUE	R68, R119	(56)	191	F	EGT	
10	6 in Altman 1KAF Fresnel w/ BARNDOORS	1kw	FABRIC BLUE	R68, R119	(56)	191	F	EGT	
11	Arri 2K Fresnel w/ BARNDOORS	2kw	DOWNLIGHT	N/C	(45)	194	F	CYX	
12	6X22 Altman 360Q w/ Donut, Tophat	1kw	HOLE	N/C	(147)	195	F 6	FEL	
13	Par 64 NSP	1kw	SHIL	R26	(166)	199	F	NSP	
14	Par 64 NSP	1kw	SHIL	R26	(168)	196	F	NSP	
15	Par 64 NSP	1kw	SHIL	R26	(169)	198	F	NSP	

E EAST

									Dimmer Check Q.5
U#	Instrument Type	Watts	Purpose	Clr/Tmp	Chn	Dim	Mk Sub	Lamp	
1	6X16 Altman 360Q	575w	A14 SIDE	R60	(34)	177	CF	FLK	
2	6X16 Altman 360Q	575w	A13 SIDE	R60	(33)	179	CF	FLK	
3	6X12 Altman 360Q	575w	A14 PATT	R54, T: A2247	(14)	180	CF	FLK	

BAY F

									Dimmer Check Q.5
U#	Instrument Type	Watts	Purpose	Clr/Tmp	Chn	Dim	Mk Sub	Lamp	
1	6X12 Altman 360Q	575w	FSL GAL	R50	(81)	137	F	FLK	
2	6X12 Altman 360Q	575w	CSL GALL	R50	(82)	188	F	FLK	
3	6X12 Altman 360Q	575w	SL DOOR	R50	(83)	189	F	FLK	
4	6X12 Altman 360Q	575w	SR DOOR	R50	(84)	193	F	FLK	
5	6X12 Altman 360Q	575w	SR GAL	R50	(85)	154	F	FLK	
6	6X12 Altman 360Q	575w	FSR GAL	R50	(86)	117	F	FLK	

HL BALC RAIL

Dimmer Check Q.6

U#	Instrument Type	Watts	Purpose	Clr/Tmp	Chn	Dim	Mk	Sub	Lamp
1	20 deg Altman 1KL	575w	SL CRNR	G810, T: R9073	(100)	212	CF		FLK
2	20 deg Altman 1KL	575w	SL SIDE GALLERY	G810, T: R9073	(99)	211	CF		FLK
3	6X16 Altman 360Q	575w	DEATH GALLERY	R50	(108)	210	CF		FLK
4	6X16 Altman 360Q w/ DONUT	1kw	PATH OF LIFE	N/C	(137)	209	CF	1	FEL
5	20 deg Altman 1KL	575w	SL GAL CRNR	G810, T: R9073	(98)	208	CF		FLK
6	6X12 Altman 360Q	575w	PRESHOW DS	L020	(150)	207	F		FLK
7	6X12 Altman 360Q	575w	PRESHOW DS	L020	(151)	205	F		FLK
8	20 deg Altman 1KL	575w	CSL GALL	G810, T: R9073	(97)	206	CF		FLK
9	6X12 Altman 360Q	575w	-SPARE-	TBD	(152)	204	F		FLK
10	20 deg Altman 1KL	575w	CTR GALL.	G810, T: R9073	(96)	201	CF		FLK

HR BALC RAIL

Dimmer Check Q.6

U#	Instrument Type	Watts	Purpose	Clr/Tmp	Chn	Dim	Mk	Sub	Lamp
1	20 deg Altman 1KL	575w	CTR GALL.	G810, T: R9073	(95)	225	CF		FLK
2	6X12 Altman 360Q	575w	HOLE (PRESHOW)	R21, T: R9073	(155)	223	F		FLK
3	20 deg Altman 1KL	575w	SR CRNR	G810, T: R9073	(94)	224	CF		FLK
4	20 deg Altman 1KL	575w	CSR GALL	G810, T: R9073	(93)	222	CF		FLK
5	20 deg Altman 1KL	575w	PRESHOW US	R21, T: R9073	(153)	221	F		FLK
6	20 deg Altman 1KL	575w	PRESHOW US	R21, T: R9073	(154)	220	F		FLK
7	20 deg Altman 1KL	575w	SR SIDE GALLERY	G810, T: R9073	(92)	219	CF		FLK
8	6X16 Altman 360Q w/ DONUT	1kw	PATH OF LIFE	N/C	(138)	216	CF	1	FEL
9	6X16 Altman 360Q	575w	DEATH GALLERY	R50	(107)	215	CF		FLK
10	20 deg Altman 1KL	575w	LADDER	G810, T: R9073	(91)	214	CF		FLK

GALLERY SL

Dimmer Check Q.7

U#	Instrument Type	Watts	Purpose	Clr/Tmp	Chn	Dim	Mk	Sub	Lamp
A1	Altman Mini Strip (3 ckt)	750w	GALLERY SIDE	L020	(101)	278	F	5	EYJ (10)
A2	Altman Mini Strip (3 ckt)	750w	GALLERY SIDE	G815	(103)	277	F	5	EYJ (10)
A3	Altman Mini Strip (3 ckt)	750w	GALLERY SIDE	L189	(105)	276	F	5	EYJ (10)

GALLERY SR

Dimmer Check Q.7

U#	Instrument Type	Watts	Purpose	Clr/Tmp	Chn	Dim	Mk	Sub	Lamp
A1	Altman Mini Strip (3 ckt)	750w	GALLERY SIDE	L020	(102)	275	F	5	EYJ (10)
A2	Altman Mini Strip (3 ckt)	750w	GALLERY SIDE	R50	(104)	274	F	5	EYJ (10)
A3	Altman Mini Strip (3 ckt)	750w	GALLERY SIDE	L189	(106)	273	F	5	EYJ (10)

PROSCENIUM WALL

Dimmer Check Q.7

U#	Instrument Type	Watts	Purpose	Clr/Tmp	Chn	Dim	Mk	Sub	Lamp
1	6 in Altman 1KAF Fresnel w/o lens	1kw	DEATH SHADOW (HR)	N/C	(112)	252	CF		EGT
2	6 in Altman 1KAF Fresnel w/o lens	1kw	DEATH SHADOW (HL)	N/C	(113)	251	CF		EGT

BACK HALLWAY SL

Dimmer Check Q.8

U#	Instrument Type	Watts	Purpose	Clr/Tmp	Chn	Dim	Mk	Sub	Lamp
1	Par 64 MFL w/ BARNDOORS	1kw	SPANDEX FRONT	N/C	(207)	267	F		MFL
2	Arri 2K Fresnel w/ BARNDOORS	2kw	HALL	N/C	(179)	264	F		CYX
3	6X9 Altman 360Q w/ TOPHAT	575w	HALL COLOR	G810	(173)	266	F		FLK
4	6X9 Altman 360Q w/ TOPHAT	575w	HALL COLOR	L189	(174)	268	F		FLK
5	6X9 Altman 360Q w/ TOPHAT	575w	HALL COLOR	R60	(175)	265	F		FLK

BACK HALLWAY SR

Dimmer Check Q.8

U#	Instrument Type	Watts	Purpose	Clr/Tmp	Chn	Dim	Mk	Sub	Lamp
1	Par 64 MFL w/ BARNDOORS	1kw	SPANDEX FRONT	N/C	(208)	259	F		MFL
2	Arri 2K Fresnel w/ BARNDOORS	2kw	HALL	N/C	(180)	263	F		CYX
3	6X9 Altman 360Q w/ TOPHAT	575w	HALL COLOR	G810	(176)	260	F		FLK
4	6X9 Altman 360Q w/ TOPHAT	575w	HALL COLOR	L189	(177)	262	F		FLK
5	6X9 Altman 360Q w/ TOPHAT	575w	HALL COLOR	R60	(178)	261	F		FLK

BACK HALLWAY CENTER

Dimmer Check Q.8

U#	Instrument Type	Watts	Purpose	Clr/Tmp	Chn	Dim	Mk	Sub	Lamp
A1	MR-16 STRIP	750w	PLEXI UPLIGHT SL	N/C	(181)	270	F		EYJ (10)
A2	MR-16 STRIP	750w	PLEXI UPLIGHT SL	N/C	(182)	271	F		EYJ (10)
B1	MR-16 STRIP	750w	PLEXI UPLIGHT SR	N/C	(183)	256	F		EYJ (10)
B2	MR-16 STRIP	750w	PLEXI UPLIGHT SR	N/C	(184)	257	F		EYJ (10)

SHOP

Dimmer Check Q.8

U#	Instrument Type	Watts	Purpose	Clr/Tmp	Chn	Dim	Mk	Sub	Lamp
1	6 in Altman 1KAF Fresnel w/o lens	1kw	SPANDEX AMBER	L158	(191)	233	CF	7	EGT
2	Desisti Fresnel	1200w	SPANDEX WHITE	N/C	(195)	235	CF		MSR
3	6 in Altman 1KAF Fresnel w/o lens	1kw	SPANDEX BLUE	R79	(192)	232	CF		EGT
4	6 in Altman 1KAF Fresnel w/o lens	1kw	SPANDEX RED	G250	(194)	234	CF		EGT